



Electric Tow | AT200 TOW

The AT200 TOW is perfect for safely towing loads where weight transfer is not possible, up to 2,000 kg. Attaching to any load with a draw bar, towing eye or ball hitch fitting is easy thanks to the coupling crawl function. This allows the operator to move the machine slowly and connect simultaneously. Controlled start acceleration gets the load moving safely and power steering provides effortless manoeuvrability.

### Suitable for use in a wide range of applications and sectors










# **KeyBenefits**


### 1 year full guarantee


- FEA tested steel chassis
- 2 Drive motors

Internal weight packs

## **ProductDimensions**







## **SafetyFeatures**

## See our website for full technical details



Automatic cut off as tiller arm returns to vertical



Anti-crush button



Emergency stop button



Warning horn

# **MaxLoadWeight**

#### See our website for full technical details





\*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

# **TechnicalData**

### See our website for full technical details

	 •		
	ica		

Product code	AT200 TOW
Recommended load weight - Castors	2000 kg
Recommended load weight - Rails	8000 kg
Machine weight including battery	292 kg
Drive type	Electric DC
Parking brake	Electromagnetic
Drive wheel type	Foam Filled
Drive motor power	2 x 0.4 kW
Controller type	DC
Variable machine speed	0.1 km/h - 5.4 km/h

### **Battery options**

Battery pack - sealed - 28Ah 48V - interchangeable

#### **Charging options**

Charger - external - 5A 48V - 230V Charger - internal - 5A 48V - 115V

### **Additional equipment**

Option - flashing safety light and motion bleeper

### Male coupling options

Coupling - male - pin

Coupling - male - 50mm tow ball

Coupling - male - height adjustable box

### **Female coupling options**

Coupling - female - box

To arrange a demonstration, or for further information about our electric tug material handling solutions, please contact us

Airfield Industrial Estate, Moor Farm Road, Ashbourne, Derbyshire, DE6 1HD, United Kingdom

Telephone Sales: 01335 30 10 30 Email: sales@mastermover.com

Fax: 01335 34 77 11 Website: www.mastermover.com



## **AboutUs**

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.







