



Electric Load Pusher | The All Terrain Pusher The All Terrain Pusher ATP400 is designed to push wheeled loads, even if the floor surface is less than perfect. Whether it be a long train of roll cages or a huge load on rails, the ATP400 possesses more than enough power. A combination of its AC drive motor and high-torque gearbox provide that power whilst traction is achieved via a leverage system and chunky pneumatic wheels. A steel chassis gives the tug strength and a self-levelling castor is one of many safety features.

### **Industries**

#### Suitable for use in a wide range of applications and sectors



Retail and Logistics



Manufacturing and Assembly



Food and Beverage



Trains


# **KeyBenefits**


- Battery monitoring system
- FEA tested steel chassis
- AC drive motor


#### 1 year full guarantee

- High-torque gearbox
- Self-levelling support castor
- Leveraged weight transfer

## **ProductDimensions**







## **SafetyFeatures**

See our website for full technical details



Anti-crush button




Emergency stop button



Warning horn

# **MaxLoadWeight**







\*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

### **TechnicalData**

#### See our website for full technical details

Identification
----------------

Product code	ATP400
Recommended load weight - Castors	5000 kg
Recommended load weight - Rails	80000 kg
Machine weight including battery	350 kg
Drive type	Electric AC
Parking brake	Electromagnetic
Drive wheel type	Industrial pneumatic
Drive motor power	2 kW
Controller type	AC
Variable machine speed	0.1 km/h - 5 km/h
EC Registered Design number	002107557-0001
Patent Pending GB	2506142 A

#### **Battery options**

Battery pack - sealed - 102Ah 24V - interchangeable Battery pack - sealed - 119Ah 24V - interchangeable

#### **Charging options**

Charger - internal - 12.5A 24V - 110V-240V Charger - external - 12.5A 24V - 110V-240V

#### **Additional equipment**

Option - flashing safety light and motion bleeper

Option - two speed selector switch

Option - wireless control handset

Option - wheel protectors

### Male coupling options

Coupling - height adjustable push plate - 90° (L shaped)

Coupling - male - height adjustable box

Coupling - Tetra

Coupling - York

Coupling - height adjustable push plate

#### **Female coupling options**

Coupling - female - box

To arrange a demonstration, or for further information about our electric tug material handling solutions, please contact us

Airfield Industrial Estate, Moor Farm Road, Ashbourne, Derbyshire, DE6 1HD, United Kingdom

Telephone Sales: 01335 30 10 30 Email: sales@mastermover.com

Fax: 01335 34 77 11 Website: www.mastermover.com



# **AboutUs**

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.







