



# Master Tug

Electric Powered Tug | The MasterTug MT400+

The MasterTug MT400+ is designed to allow a single pedestrian operator to easily push, pull and steer wheeled loads weighing up to a maximum of 4,000 kg. As part of the MasterTug range, the MT400+ utilises hydraulics for traction, an AC drive motor for power and a dual secured mast for strength. The tug's battery monitoring system alerts the operator to the remaining charge and the option of an interchangeable battery allows the tug to be used 24 hours a day.

### **Industries**

#### Suitable for use in a wide range of applications and sectors









Wind Turbines

Chemical

Glass

Food and Beverage


# **KeyBenefits**


# 1 year full guarantee


- Battery monitoring system
- FEA tested steel chassis
- Dual secured mast

- AC drive motor
- Self-adjusting castor guard
- Hydraulic weight transfer

# **ProductDimensions**







# **SafetyFeatures**

See our website for full technical details



Self-adjusting castor guard for foot protection



Automatic cut off as tiller arm returns to vertical



Anti-crush button



Emergency stop button

# **MaxLoadWeight**

#### See our website for full technical details





\*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

### **TechnicalData**

#### See our website for full technical details

			e=				
10	$\alpha r$	14.1	90	ca	***	$\sim$	n

MT400+
4000 kg
16000 kg
305 kg
Electric AC
Electromagnetic
Polyurethane
1.5 kW
AC
0.1 km/h - 5 km/h

#### **Battery options**

Battery pack - sealed - 102Ah 24V - fixed

Battery pack - sealed - 102Ah 24V - interchangeable

Battery pack - sealed - 119Ah 24V - fixed

Battery pack - sealed - 119Ah 24V - interchangeable

#### **Charging options**

Charger - internal - 12.5A 24V - 110V-240V Charger - external - 12.5A 24V - 110V-240V

Charger - external - 20A 24V - 110V-240V

#### **Additional equipment**

Option - flashing safety light and motion bleeper

Option - two speed selector switch

Option - wireless control handset

#### **Male coupling options**

Coupling - male - height adjustable combi - medium

Coupling - male - height adjustable box - medium

#### **Female coupling options**

Coupling - female - combi - medium

Coupling - female - box - medium

To arrange a demonstration, or for further information about our electric tug material handling solutions, please contact us

Airfield Industrial Estate, Moor Farm Road, Ashbourne, Derbyshire, DE6 1HD, United Kingdom

Telephone Sales: 01335 30 10 30 Email: sales@mastermover.com

Fax: 01335 34 77 11 Website: www.mastermover.com



# **AboutUs**

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.







